

# Dependable, Smart. Naturally.

# **Specifications**

**Product Name:** Second Nature® Easy Mix – 40#

Revision Date: July 2011

Manufacture Facility: Canton, OH and Wellsville, KS

#### 1. Product Identification

Second Nature Easy Mix Mulch is manufactured from high quality post consumer recycled paper. It is non-toxic, biodegradable and contaminant free.

## 2. Mixing

Mix Second Nature Easy Mix Mulch with approximately 120 gallons of water per 40 pound bag. Seed, fertilizer, tackifier and soil amendments may be added at specified rates for one step installation of hydro seeding and erosion control projects.

# 3. Application

Second Nature Easy Mix Mulch can be applied after adding seed and fertilizer or as a separate application. Good soil preparation is essential. Slurry containing seed and fertilizer is best applied from the hose by pointing the nozzle straight down to drive the material into the soil. The application should then be topped-off by allowing the material to "rain on" the surface to achieve approximately 85% coverage.

Minimum Application Rate: 1,500 Pounds / Acre. Maximum Application Rate: 2,000 Pounds/acre

### 4. Equipment

Second Nature Easy Mix Mulch is formulated for use with jet-agitated hydro seeding machines. Follow equipment manufacture's installation instructions and recommendations.

### 5. Product Composition / Property Values

Cellulose Fiber (minimum) 100%

#### 6. Packaging and Shipping

Bag Dimensions, Net Weight 17"x 9"x 26", 40lbs

Pallet Dimensions, Quantity 93"H x 44"W x 53"D, 50 Bags

Full Truckload 22 pallets, 1100 bags

#### 7. Technical Assistance

For additional technical information contact our Technical Department: (800) 654-6117.