



Product: XO5946-019
Description: Orange Fence
Customer: Ero-Guard
Date: 8-30-12
Supersedes: New
Originator: Jimmy Wingfield
Customer Approval: _____

Item	Specified Value	Test Method
Average Weight (lb/1000 sq ft)	46 +/-2.0 PMSF	Conwed Test Method MAW82002
Average Strand Spacing	Strand Spacing 4.8 per 10" MD 12" +/- .25 per 4 holes	Conwed Test Method MAW82004
Hole size	MD-MD 1.6" +/- 0.2" TD-TD 2.75" +/- 0.2"	
Average Tensile Strength (lb _f /3") or (lb _f /# strands in 3")	Tensile Strength MD = 33 +/- 11 per 1 strand TD = 43 +/- 14 per 1 strand	Conwed Test Method MAW82006
Color	Orange	
Resin	PE/PP UV stabilizer	
Manufactured Length	50'	
Nominal Roll Width	48"	
Nominal Roll Weight	18.4lbs.	
Nominal Roll Diameter	5.9"	
Packaging	Rolls are palletized 32 per pallet and secured to the pallet with bands and overwrapped with stretch film.	

Information contained within is considered confidential and is intended solely for the use of the recipient; it is not to be disclosed to any third party without prior approval from Conwed Global Netting Solutions.