



MSDS Number: CON043

Revision Date: 03/21/13

Page 1 of 4

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

PROFILE Products, LLC 750 LAKE COOK ROAD SUITE 440 BUFFALO GROVE, IL 60089

Phone:	(847) 215-1144
Fax:	(847) 215-0577
Email:	profileproducts.com
Web:	www.profileproducts.com

Product Name: Revision Date: MSDS Number: Common Name: F-4 Netless™ 03/21/13 CON043 N.A.

Description-Pine/Poplar Wood Fiber Mat with synthetic fibers

HAZARDS IDENTIFICATION

Route of Entry: Inhalation, skin contact, eye contact

Inhalation: Wood dust may cause sneezing, irritation, and dryness of the nose and throat. Dust may aggravate pre-existing respiratory conditions.

Skin Contact: Wood dust can cause irritation. Skin absorption is not known to occur.

Eye Contact: Wood dust can irritate the eyes.

Ingestion: No reports of human ingestion.I

Avoid inhalation of any dust, avoid skin contact, protect eyes, avoid ingestion and prolonged exposure.

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas # Perc. Chemical Name





MSDS Number: CON043

Revision Date: 03/21/13

Page 2 of 4

FIRST AID MEASURES

Inhalation:Usually not a problem. Remove to fresh air if respiratory irritation develops, and get medical aid promptly if irritation
persists.Skin Contact:Usually not a problem. Wash off with running water if irritation is experienced.Eye Contact:Open eyelids and flush with water.Ingestion:Get medical attention.

5	FIRE FIGHTING MEASURES

Autoignition Temp: 400-500 degrees Fahrenheit

Flammable- Extinguish with water; same as a wood fire

Sprinkle spillage compound to minimize dust and sweep up spilled debris, absorb and sweep up / collect; avoid inhalation and / or ingestion of any dust.

7	HANDLING AND STORAGE
Handling Precautions: Storage Requirements:	

8	EXPOSURE CONTROLS/PERSONAL PROTECTION
Personal Protective Eq	uip: Eyes: Safety glasses or googles should be worn if there is possibility of eye contact. Skin: Gloves for hands, wear clothing to prevent skin contact.

9	PHYSICAL AND CHEMICAL PROPERTIES		
Appearance: Spec Grav./Density: Vapor Pressure:	Green or Natural Brown non-woven mat lighter than water N/A	Odor:	Wood odor

10	STABILITY AND REACTIVITY

Stability:StableMaterials to Avoid:Avoid strong oxidizers/reducersHazardous Polymerization:Will not occur.





MSDS Number: CON043

Revision Date: 03/21/13

Page 3 of 4

TOXICOLOGICAL INFORMATION

Wood dusts- All other species: ACGIH (2007): TLV-TWA 1 mg/m³ (Inhalable fraction); A4

Particulates Not Otherwise Regulated (PNOR):

OSHA: PEL-TWA 15 mg/m³ (Total Dust); 5 mg/m³ (Respirable fraction)

12

ECOLOGICAL INFORMATION

96-hr Survival $LC_{50} = >100\%$ for *Daphnia magna* when runoff generated using ASTM D7101 (4"/hr rainfall rate) was tested according to EPA-821-R-02-012.

13 DISPOSAL CONSIDERATIONS

Disposal according to local, state and federal environmental requirements.

TRANSPORT INFORMATION

DOT Class: Not regulated #





MSDS Number: CON043

Revision Date: 03/21/13

Page 4 of 4

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List NRC = Nationally Recognized Carcinogens OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

CERCLA = Superfund clean up substance CSWHS = Clean Water Act Hazardous substances EHS302 = Extremely Hazardous Substance EPCRAWPC = EPCRA Water Priority Chemicals HAP = Hazardous Air Pollutants NJEHS = NJ Extraordinarily Hazardous Substances NJHS = NJ Right-to-Know Hazardous Substances OSHAPSM = OSHA Chemicals Requiring process safety management SARA313 = SARA 313 Title III Toxic Chemicals

16 OTHER INFORMATION